

	DOCUMENT NO:	SPEC-L61205-13XX	VER:	1.1
	Liquid 6 Cartridge, 0.5 ml			EFFECTIVE DATE: 05/25/2017
	Jupiter PN(s):	L61205-13XX; XX - Branding		PAGE 1 OF 3


APPROVAL:		DATE:	05/25/2017
-----------	---	-------	------------




**Description:** All-in-one disposable vape pen, top fill cartridge design

**Features:**

- CCELL Technology atomizer – heating element embedded in porous ceramic
- Breath actuated
- 340 mAh Li-ion battery cell
- Crushproof SS cartridge housing
- Tamper resistant press-fit mouthpiece
- Operational viscosity range up to 110,000 cPs

	DOCUMENT NO:	SPEC- L61205-13XX	VER:	1.1
	Liquid 6 Cartridge, 0.5 ml			EFFECTIVE DATE: 05/25/2017
	Jupiter PN(s):	L61205-13XX; XX - Branding		PAGE 2 OF 3

Specifications		
Internal Volume	Gross	0.55 ml
	Max. fill volume	0.50 ml
Atomizer Resistance	1.25 – 1.45 $\Omega$	
Atomizer Protective Fluid	PEG-400, ~50 $\mu$ l	
Maximum Viscosity	110,000 cPs	
Weight, empty with Mouthpiece	7.5 $\pm$ 0.2 grams	
Wetted Materials	Housing and mouthpiece	Polycarbonate (PC)
	Sleeves	SS
	Atomizer shell and base	Ni-plated brass
	Airway tube	Ni-plated brass
	Heating element	Nichrome
	Wick	Ceramic
	Atomizer retaining wrap	Cellulose
	Seals	Silicone
Battery Cell Capacity	340 mAh	
Max. Current Output	3 A	
Safety Features	Short-Circuit Protection	Output deenergizes with load $\leq$ 0.8 $\Omega$ . LED lights and remains on for 2 – 3 seconds to indicate a short.
	Over-Usage Protection	Output is deenergized after 10 seconds ( $\pm$ 20%) of continuous activation. LED flashes twice.
Low Battery Indication	LED flashes 10 X	
Branding Options	Available with MOQ	

	DOCUMENT NO:	SPEC- L61205-13XX	VER:	1.1
	Liquid 6 Cartridge, 0.5 ml			EFFECTIVE DATE: 05/25/2017
	Jupiter PN(s):	L61205-13XX; XX - Branding		PAGE 3 OF 3

### Jupiter Liquid X Filling Instructions

1. Insert a blunt tipped needle in the crescent shaped opening. Holding upright fill the reservoir with 0.5 ml of oil.
- \* Do not overfill or allow oil to enter the center airway.
2. Immediately after filling, insert and press fit the mouthpiece until it is fully seated.
- \* Failure to insert the mouthpiece immediately may cause leakage.

Waiting 30 minutes for atomizer to saturate is recommended before use.

For Technical Assistance please contact us at:  
cs@jupiterresearch.com

### Mouthpiece



Insert Filling Needle Here

